

Flight-Resource

A Division of  McFarlane

World's Largest MT-Propeller Distributor



Cessna 206

(P,TP,TU,U)206 (A – F)

Engines: Continental IO & TSIO-520 (A,C,F,M)

Advantages: (vs. 3-blade std. aluminum propeller)

- Best vibration damping characteristics for almost vibration free propeller operations
- Bonded on stainless steel leading edge for best erosion protection of the blades
- Enhanced climb by approx. 83 fpm (SL, ISA conditions)
- Shorter take-off distance by approx. 37 feet (SL, ISA conditions)
- Enhanced cruise performance by approx. 6 to 7 Kts (MTOW, ISA conditions)
- Approx. 35 lbs less weight than the original 3-blade propeller
- Unlimited blade life and No AD's
- Increased static thrust by approx. 51 lbs
- No restricted propeller rpm range



STC Kit Contents: FAA STC: SA02294CH


- | | |
|---|----------------------|
| • One 2-Blade Constant Speed Propeller | MTV-15-D/210-58 |
| • One Full Composite Spinner (AFRP) | P-411-4 |
| • One Airplane Flight Manual Supplement | Doc. No. ES1027-206 |
| • One Installation Instruction | Doc. No. ES1027-5 |
| • One Instruction for Continued Airworthiness | Doc. No. ES1027-9 |
| • One Operation and Installation Manual | ATA 61-01-24 (E-124) |

Propeller Specifications:

- | | |
|------------------------------|--|
| • Full Propeller Designation | MTV-15-D/210-58 |
| • Propeller Hub | Milled single-piece aluminum hub |
| • Blade Design | Scimitar, light-weight natural composite |
| • Installed Weight | 65.4 lbs each |
| • Maximum Diameter | 74 in. |
| • Minimum Diameter | 72 in. |
| • TBO | Currently 2400 hrs / 72 months |

Replaces: All existing propellers

mt-propeller



To learn more about this prop

866-717-1117

www.Flight-Resource.com

For other products

800-544-8594

www.McFarlaneAviation.com