


McFarlane Aviation, Inc.
696 E. 1700 Road
Baldwin City, KS 66006



McFarlane Aviation Products

800-544-8594
(785) 594-2741
(785) 594-3922 Fax
www.mcfarlaneaviation.com
customparts@mcfarlaneaviation.com

STANDARD TYPE DUAL PUSH TO UNLOCK CONTROL



REQUIRED DIMENSIONS

B1: _____
C1: _____
D1: _____
B2: _____
C2: _____
D2: _____

BUTTON COLOR

- RED
- BLUE
- BLACK
- CHROME*
- CLEAR (ALUMINUM)

KNOB COLOR

- RED
- BLUE
- BLACK
- CHROME*
- CLEAR (ALUMINUM)


MINIMUM REQUIRED TRAVEL/THROW (C1 MINUS D1 OR C2 MINUS D2)**

*CHROME PARTS (BUTTON AND KNOB) MUST BE PAIRED TOGETHER AND CANNOT BE MIXED WITH ANOTHER COLOR COMPONENT.

**NOTE THAT TRAVEL WILL BE REDUCED WHEN ROUTING THROUGH BENDS AND AT TIGHT RADII. FOR DESIGNS LONGER THAN 8FT OR COMPLEX ROUTING, CALL MCFARLANE ENGINEERING TO DISCUSS THE TRAVEL. TRAVEL FOR EACH SIDE (C1 MINUS D1 OR C2 MINUS D2) WILL BE THE SAME.

ADD OTHER DIMENSIONS

PUSHROD TYPE DUAL PUSH TO UNLOCK CONTROL



REQUIRED DIMENSIONS

B1: _____
C1: _____
D1: _____
B2: _____
C2: _____
D2: _____

BUTTON COLOR

- RED
- BLUE
- BLACK
- CHROME*
- CLEAR (ALUMINUM)

KNOB COLOR

- RED
- BLUE
- BLACK
- CHROME*
- CLEAR (ALUMINUM)

MINIMUM REQUIRED TRAVEL/THROW (C1 MINUS D1 OR C2 MINUS D2)**

*CHROME PARTS (BUTTON AND KNOB) MUST BE PAIRED TOGETHER AND CANNOT BE MIXED WITH ANOTHER COLOR COMPONENT.

**NOTE THAT TRAVEL WILL BE REDUCED WHEN ROUTING THROUGH BENDS AND AT TIGHT RADII. FOR DESIGNS LONGER THAN 8FT OR COMPLEX ROUTING, CALL MCFARLANE ENGINEERING TO DISCUSS THE TRAVEL. TRAVEL FOR EACH SIDE (C1 MINUS D1 OR C2 MINUS D2) WILL BE THE SAME.

ADD OTHER DIMENSIONS

I REQUEST MCFARLANE AVIATION, INC. TO MANUFACTURE A PART PER THE DATA ON THIS FORM. I UNDERSTAND THAT I AM SOLELY RESPONSIBLE FOR ENSURING SUITABILITY OF THE PART FOR MY INTENDED APPLICATION. THIS DATA WAS EITHER PROVIDED BY ME OR DEVELOPED JOINTLY WITH MCFARLANE AVIATION, INC. ON MY BEHALF AND WITH MY PARTICIPATION AND SUPERVISION. I UNDERSTAND THAT UNLESS OTHERWISE AGREED, MCFARLANE AVIATION, INC. MAY USE THIS DATA FOR ANY PURPOSE. I UNDERSTAND THAT THIS PART IS NOT FAA APPROVED. AND I CERTIFY THAT IF THIS PART IS TO BE INSTALLED ON A TYPE-CERTIFICATED AIRCRAFT IT WILL BE INSTALLED IN FULL COMPLIANCE WITH ONE OF THE EXCEPTIONS LISTED IN 14 CFR 21.9(a).

Backlash, which is apparent as lost motion under push-pull input forces, is caused by the core wire of the control assembly moving from the inside to the outside of the bends in the conduit with the change in direction of movement. It is a function of the length of the control, the clearance between the wire and the conduit, the input force, and the total number of degrees of bend in the installed control. While designing and constructing a control, McFarlane Aviation can take steps to mitigate backlash. To do so, a complete understanding of the operating loads, routing, and backlash tolerance is required.

SIGNATURE: _____ DATE: _____

CUSTOMER NAME: _____ CONTACT NAME: _____

ADDRESS: _____


EMAIL: _____

PHONE NUMBER: _____ AIRCRAFT MAKE: _____

FAX NUMBER: _____ MODEL: _____

SPECIAL REQUIREMENTS/NOTES:

KNOB MARKING:
(ADDITIONAL FEES APPLY)



(ACTUAL SIZE)